GENERAL INDEX

A

Abelmoschus, interspecific hybridization, taxonomy 455
Abelmoschus tuberculatus, new species 455
Abies grandis, moisture retention in leaves 210
Abscission, foliar, conditioned by auxin-ethylene balance 310; in bean, effect of growth-regulators 348
Action spectrum for inhibition of stem growth in barley 95
Agrobacterium tumefaciens, tumors in tomato, oxygen uptake 185, terminal oxidase patterns 190
Ahlgren, Gilbert H., Effects of 2,4-D on dry weight, reducing sugars, total sugars, polysaccharides, nitrogen, and allyl sulfide in wild garlic 119
Albino barley, action spectrum for inhibition of stem growth 95
Alkali, chlorosis in bean 373
Allium; *see* Onion; A. vineale, effects of 2,4-D on metabolism 119
Allyl sulfide, content in wild garlic affected by 2,4-D treatment 119
Alnus, wood anatomy 235
Amino acids, in range grasses 475
Amylase, alpha-, activity not affected by growth regulators 482
Anatomy, of adventitious root development in Vaccinium 279; of Bowmanites bifurcatus sp. nov. 158; of Conostoma quadratum, Coronostoma quadrivasatum sp. nov., and Taxospermum undulatum sp. nov. 165; of nectaries 464; of root tumors induced by growth-regulators 334; of 2,4-D-treated corn plants 65; vascular, of Clethra 392; vegetative, of Theobroma cacao 444; wood, of Betulaceae 235
Andrews, Henry N., Jr., A new American species of Bowmanites 158
Andropogon ischaemum, amino acids 475
Antimicrobial substances in chlorophyllose plants growing in Florida 293
Auxin; *see* Indoleacetic acid and Growth-regulators; auxin-ethylene balance in foliar abscission 310; auxin tumors in tomato, terminal oxidase patterns 190
Avena, winter hardiness of seeds 90
Avocado, floral development, sporogenesis, and embryology 270

B

Banigan, T. F., Jr., Distribution of waxes in guayule 231
Barley; *see* Hordeum
Bean, abscission, effect of substituted benzoic acids, counteracted by indoleacetic and naphthaleneacetic acids 348; bicarbonate-induced chlorosis 373; germination types 151; interaction of temperature and 2,4-D in leaf expansion 479; Red Kidney, test plant for activity of substituted benzoic acids 135
Beets, sugar, glutamic acid increased by zinc dimethyldithiocarbamate 207
Bell, Thomas A., Pectolytic enzyme activity in various parts of the cucumber plant and fruit 216
Benzoic acids, substituted, activity tested on bean, squash, and cucumber 135; relation between molecular structure and abscission-inducing activity 348
Beta; *see* Beets
Betula, wood anatomy 235
Betulaceae, comparative wood anatomy and phylogeny 235
Bicarbonate-induced chlorosis in bean 373
Bitterweed; *see* Helenium
Blair, Byron O., Translocation of 2,4-dichloro-5-iodophenoxyacetic acid in velvet mesquite seedlings 368
Blueberry; *see* Vaccinium
Bluestem, amino acids 475
Bonner, D. M., An atypical growth of cabbage-seedling roots. I. Morphology, histology, and induction conditions 334
Boron, effect on germination and respiration of flax 180
Borthwick, H. A., Action spectrum for inhibition of stem growth in dark-grown seedlings of albino and nonalbino barley (Hordeum vulgare) 95
Bouteloua curtipendula, amino acids 475
Bowmanites bifurcatus, new American species 158
Brakke, M. K., Lack of effect of plant growth-regulators on the action of alpha-amylase secreted by virus tumor tissue 482
Brassica nigra, effect of phosphorus deficiency on growth and metabolism 301
Brassica oleracea, atypical growth of seedling roots induced by chlorophenoxy compounds 334
Breeding behavior of Bromus inermis 23
Bromus inermis, cytology and breeding behavior of twin plants 23; reproductive activity in relation to tiller development 413
Brooks, Erwin R., Vegetative anatomy of Theobroma cacao 444
Brown, James W., Influence of temperature on formative response of bean seedlings to 2,4-dichlorophenoxyacetic acid 479; Studies on the relation between molecular structure and physiological activity of plant growth-regulators. I. Abscission-inducing activity 348
Brown, J. W., The chemical status of bean plants afflicted with bicarbonate-induced chlorosis 373
Brown, Walter V., The relation of soil moisture to cleistogamy in Stipa leucotricha 438
Bulb formation, in wild garlic affected by 2,4-D 119

C

Cabbage; *see* Brassica
Cacao; *see* Theobroma
Candida albicans, used to assay antimicrobial activity of chlorophyllose plants 293

Carbohydrate, alcohol-insoluble, in citrus fruit 106; content, in phosphorus-deficient black mustard 301, in 2,4-D-treated wild garlic 119
Carbon 14, used for biosynthesis of radioactive nicotine 195
Cardiocarpales, new species 165
Carpinus, wood anatomy 235
Carrots, sprouting in storage affected by growth substances 362
Cellulose and hemicellulose, content, of citrus fruit 106
Chaney, Ralph W., with Seido Endô, A record of Sequoia from the Jurassic of Manchuria 228
Chasmogamy, in Stipa leucotricha, relation to soil moisture 438
Cherry, effect of 2,4-D on fruit-set and maturity 147
Chlorophenoxy compounds, effects, on bean seedling growth 479, on corn plants 65, on fruit-set of cherries 147, on grapes 75, on metabolism in wild garlic 119, on nitrogen metabolism and water relations of soybean 322, on sprouting in storage of carrots, turnips, and onions 362; inducing atypical growth of cabbage-seedling roots 334; Lemna test 86; relation between molecular structure and abscission-inducing activity 348; translocation of 2,4-dichloro-5-iodophenoxyacetic acid in velvet mesquite seedlings 368
Chlorosis, in bean, and chemical status induced by bicarbonate 373
Chromosomes, in Bromus inermis 23
Citrus, fruit, alcohol-insoluble solids 106
Clark, H. E., Effects of 2,4-dichlorophenoxyacetic acid upon the nitrogen metabolism and water relations of soybean plants grown at different nitrogen levels 322
Cleistogamy in Stipa leucotricha, relation to soil moisture 438
Clethra alnifolia, C. acuminata, and C. arborea, floral morphology 392
Coal balls, new Bowmanites species 158; seeds of Conostoma, Coronostoma, and Taxospermum 165
Conifers, Rocky Mountain, moisture retention in leaves 210
Cold-resistance, of oat seeds 90
Coleus, in foliar abscission tests 310
Conostoma quadratum, additional description 165
Coronostoma quadrivasatum, new species 165
Corn; *see* Zea
Corylus, wood anatomy 235
Cotton, in foliar abscission tests 310
Crandall, Paul R., Alcohol-insoluble solids of juice vesicles and pulp of citrus fruit 106
Crown-gall tumors in tomato, oxygen uptake 185; terminal oxidase patterns 190
Cucumber, pectolytic enzyme activity 216; test plant for activity of substituted benzoic acids 135
Cucumis sativus; *see* Cucumber
Cytology and breeding behavior of twin plants of Bromus inermis 23

D

2,4-D; *see* Dichlorophenoxy compounds and Herbicides
Dallyn, Stewart, Effect of applications of growth substances on sprouting of carrots, turnips, and onions in storage 362
Dichlorophenoxy compounds, action counteracted by 3-nitro-4-halogen benzoic acids 135; effects, on bean seedling growth 479, on corn plants 65, on fruit-set and maturity of cherries 147, on metabolism in wild garlic 119, on nitrogen metabolism and water relations in soybean 322; Lemna as test plant 86; no effect on activity of alpha-amylase 482
Dimethylphenoxychloroacetic acid, 2,3-, effect on glutamic acid in sugar beets 207
Duckweed, test plant for herbicides 86

E

Eaton, Scott V., Effects of phosphorus deficiency on growth and metabolism of black mustard 301
Embryology of Persea americana 270
Endô, Seido, A record of Sequoia from the Jurassic of Manchuria 228
Enzyme activity, alpha-amylase, not affected by growth-regulators 482; in ethylene production inhibited by indoleacetic acid 310; pectolytic, in cucumber and tomato 216
Enzymes, in ethylene production 55; terminal oxidase, in tomato crown-gall and auxin-induced tumors 190
Eragrostis trichodes, amino acids 475
Ericales, floral morphology of three species of Clethra 392
Ethylene, in auxin-ethylene balance in foliar abscission 310; production, in plant tissues and rapid quantitative method for estimation 55, measured by inhibition of growth in etiolated pea epicotyls 310

F

Fahn, Abraham, On the structure of floral nectaries 464
Fasciation, root, in cabbage induced by growth-regulators 334, in corn plants treated with 2,4-D 65
Flax, effect of boron on germination and respiration 180
Floral morphology, Clethra 392; nectaries 464; Persea americana 270
Florida, antimicrobial substances in chlorophyllose plants 285
Flowering, relation to tiller development in Bromus inermis 413
Fossil, cone of Bowmanites 158; seeds of Taxospermum, Coronostoma, and Conostoma 165; Sequoia jeholensis 228
Freiberg, S. R., Effects of 2,4-dichlorophenoxyacetic acid upon the nitrogen metabolism and water relations of soybean plants grown at different nitrogen levels 322
Fromm, F., A quantitative evaluation of the Lemna test for herbicides 86
Fruit-set, in cherry, affected by 2,4-D 147
Fuller, W. H., Translocation of 2,4-dichloro-5-iodophenoxyacetic acid in velvet mesquite seedlings 368
Fults, Jess L., Glutamic acid in sugar beets increased by zinc dimethyldithiocarbamate 207

G

Ganz, A., Biosynthesis of radioactive nicotine 195
Garlic, wild; *see* Allium vineale

Garren, R. G., Jr., Effect of 2,4-dichlorophenoxyacetic acid and naphthalene acetic acid on increasing fruit-setting and delaying maturity of Montmorency cherries 147
Gaskill, John O., Glutamic acid in sugar beets increased by zinc dimethyldithiocarbamate 207
Gates, R. Ruggles, Epigeal germination in the Leguminosae 151
Geiling, E. M. K., Biosynthesis of radioactive nicotine 195
Gene interaction, analysis by the partitioning method 1
Genetic basis of woolly degeneration in Neurospora crassa 203
Germination, epigeal, in Leguminosae 151; of flax affected by boron, manganese, and zinc 180
Goddard, David R., Studies on the metabolism of plant neoplasms. I. Oxygen uptake of tomato crown-gall tissues 185
Grama, side-oats, amino acids 475
Grapes; *see* Vitis
Grass, cleistogamy in Stipa leucotricha 438; cytology and breeding behavior in Bromus inermis 23; range, amino acids 475; tiller development and reproductive activity in Bromus inermis 413
Growth, effects, of $C^{14}O_2$ on tobacco 195, of growth-regulators on bean 135, 479, on cabbage roots 334, on carrots 362, on corn 65, on cucumber 135, on Lemna 86, on onion 362, on soybean 322, on squash 135, on turnip 362, on wild garlic 119; effects, of light on stems of dark-grown barley 95, of phosphorus deficiency on black mustard 301; in relation to bicarbonate-induced chlorosis 373; of adventitious roots in Vaccinium 279; of pea roots, interaction of X-irradiation and indoleacetic acid 285; of Staphylococcus aureus, Pseudomonas aeruginosa, and Candida albicans inhibited by extracts of chlorophyllose plants 293; of twin plants of Bromus inermis 23
Growth-regulators, activity, in abscission, 310, 348, Lemna test 86, of substituted benzoic acids 135; effects, of 2,4-D and naphthalene acetic acid on fruit-set and maturity of cherries 147, of 2,4-D on bean seedling growth 479, on corn plants 65, on metabolism in wild garlic 119, on nitrogen metabolism and water relations of soybean 322, of indoleacetic acid on root growth of X-irradiated peas 285; effects, on glutamic acid in sugar beets 207, on grapes 75, on sprouting in storage of carrots, turnips, and onions 362; inducing atypical growth of cabbage-seedling roots 334; interaction with reduced nitrogen source in production of tumors 334; no effect on action of alpha-amylase 482; relation between molecular structure and abscission-inducing activity 348; translocation of 2,4-dichloro-5-iodophenoxyacetic acid 368
Guard, Arthur T., Morphological and anatomical effects of 2,4-D on young corn plants 65; Vegetative anatomy of Theobroma cacao 444
Guayule, wax distribution 231

H

Hac, Lucile R., Glutamic acid in sugar beets increased by zinc dimethyldithiocarbamate 207
Hall, John W., The comparative anatomy and phylogeny of the Betulaceae 235
Hall, Wayne C., Evidence on the auxin-ethylene balance hypothesis of foliar abscission 310; Studies on the origin of ethylene from plant tissues 55
Hardiness, winter, of oats 90
Helenium tenuifolium, distribution of bitter principle 471
Hendricks, S. B., Action spectrum for inhibition of stem growth in dark-grown seedlings of albino and nonalbino barley (Hordeum vulgare) 95
Herbarium method which preserves natural colors 484
Herbicides; *see* Growth-regulators; activity of substituted benzoic acids 135; effects, of 2,4-D on corn plants 65, on metabolism in wild garlic 119; interaction of 2,4-D and temperature on bean seedling growth 479; Lemna test 86; translocation of 2,4-dichloro-5-iodophenoxyacetic acid in velvet mesquite seedlings 368
Hibiscus; *see* Abelmoschus 455
Histology; *see* Anatomy
Hordeum vulgare, action spectrum in light-inhibition of stem growth 95
Hormones; *see* Growth-regulators
Hoshaw, Robert W., Morphological and anatomical effects of 2,4-D on young corn plants 65
Hybrids, pine, oleoresin composition 221

I

Indian grass, amino acids 475
Indoleacetic acid, effects on root growth of X-irradiated peas 285; in inhibition of abscission 310, 348; no effect on activity of alpha-amylase 482
Indoleacetic acid tumors, terminal oxidase patterns in tomato 190
Ivanoff, S. S., The use of activated oat seeds in the study of winter-hardiness 90

J

Jagendorf, A. T., An atypical growth of cabbage seedling roots. I. Morphology, histology, and induction conditions 334
Jensen, William, Effect of boron on germination of flax seed and on respiration of flax seedlings 180

K

Kavaljian, Leroy G., The floral morphology of Clethra alnifolia with some notes on C. acuminata and C. arborea 392
Kelsey, F. E., Biosynthesis of radioactive nicotine 195
Klein, Richard M., Studies on the metabolism of plant neoplasms. II. The terminal oxidase patterns of crown-gall and auxin tumors of tomato 190
Klingman, Glenn C., Effects of 2,4-D on dry weight, reducing sugars, total sugars, polysaccharides, nitrogen, and allyl sulfide in wild garlic 119

L

Lagenostomales, new species 165
Lamp, Herbert F., Reproductive activity in Bromus inermis in relation to phases of tiller development 413

Leguminosae, epigeal germination 151
Lemna minor, test plant for herbicides 86
Lemon, fruit, alcohol-insoluble solids 106
Light inhibition, action spectrum, in stem growth of barley 95
Lingappa, B. T., A sand press method for preservation of natural colors in herbarium specimens 484
Link, George K. K., Studies on the metabolism of plant neoplasms. I. Oxygen uptake of tomato crown-gall tissues 185; II. The terminal oxidase patterns of crown-gall and auxin tumors of tomato 190
Linum; *see* Flax
Lovegrass, sand, amino acids 475
Lycopersicon; *see* Tomato

M

Madsen, Grace C., Occurrence of antimicrobial substances in chlorophyllose plants growing in Florida 293
Mahlstede, John P., An anatomical study of adventitious root development in stems of Vaccinium corymbosum 279
Maize; *see* Zea
Mamay, Sergius H., A new American species of Bowmanites 158
Manganese, effect on germination of flax 180
Meeks, J. W., Distribution of waxes in guayule 231
Mesquite, translocation of 2,4-dichloro-5-iodophenoxyacetic acid 368
Metabolism, effects, of 2,4-D in soybean 322, in wild garlic 119, of phosphorus deficiency in black mustard 301; of auxin tumors 190, of crown-gall tumors 185, 190
Mika, Edward S., Effect of indoleacetic acid on root growth of X-irradiated peas 285
Minarik, C. E., New growth-regulating compounds. II. Substituted benzoic acids 135
Mustard; *see* Brassica

N

Naphthaleneacetic compounds, counteracting abscission-inducing activity of ethylene 310, of 2,3,5-triiodobenzoic acid 348; effects, on fruit-set and maturity of cherries 147, on grapes 75, on sprouting in storage of carrots, turnips, and onions 362
Naphthoxyacetic acid, beta-, inducing tumors in cabbage-seedling roots 334; no effect on activity of alpha-amylase 482
Naphthoxypropionic acid, beta-, effects, on grapes 75
Naylor, A. W., An atypical growth of cabbage-seedling roots. I. Morphology, histology, and induction conditions 334
Nectaries, anatomy 464
Neely, Florence E., Small petrified seeds from the Pennsylvanian of Illinois 165
Neurospora crassa, genetic basis of woolly degeneration 203
Nickell, L. G., Lack of effect of plant growth-regulators on the action of alpha-amylase secreted by virus tumor tissue 482
Nickerson, Jean C., Studies on the relation between molecular structure and physiological activity of plant growth-regulators. I. Abscission-inducing activity 348
Nicotiana; *see* Tobacco
Nicotine, biosynthesis of radioactive form 195
Nielsen, Etlar L., Cytology and breeding behavior of twin plants of Bromus inermis 23
Nitrogen, amino acids in range grasses 475; content, in wild garlic affected by 2,4-D 119; metabolism, in 2,4-D-treated soybean 322, in phosphorus-deficient black mustard 301; nutrition, affecting oxygen uptake of tomato crown-gall tissues 185; interaction with 2,4-D in nitrogen metabolism and water relations in soybean 322; reduced forms augmenting growth-regulators in tumor formation 334
Norman, A. G., New growth-regulating compounds. II. Substituted benzoic acids 135

O

Oat; *see* Avena
Okra; *see* Abelmoschus
Oleoresin, composition as a determinant of pine hybridity 221
Onions, sprouting in storage affected by growth substances 362
Orange, fruit, alcohol-insoluble solids 106
Ostrya, wood anatomy 235
Ostryopsis, wood anatomy 235
Owings, J. Fred, Jr., New growth-regulating compounds. II. Substituted benzoic acids 135

P

Pal, B. P., Taxonomic relationships and breeding possibilities of species of Abelmoschus related to okra (A. esculentus) 455
Parker, Johnson, Moisture retention in leaves of conifers of the northern Rocky Mountains 210
Parker, M. W., Action spectrum for inhibition of stem growth in dark-grown seedlings of albino and nonalbino barley (Hordeum vulgare) 95
Parthenium argentatum, wax distribution 231
Pates, Anne L., Occurrence of antimicrobial substances in chlorophyllose plants growing in Florida 293
Payne, Merle G., Glutamic acid in sugar beets increased by zinc dimethyldithiocarbamate 207
Pea, effect of indoleacetic acid on growth of X-irradiated roots 285; test for ethylene production 310
Pectin content of citrus fruit 106
Pectolytic enzyme activity in cucumber and tomato 216
Persea americana; *see* Avocado
Phaseolus; *see* Bean
Phosphorus deficiency, effect on growth and metabolism of black mustard 301
Phylogeny, of Betulaceae 235
Phytocidal index, defined for herbicides 86
Picea engelmanni, moisture retention in leaves 210
Pinus coulteri–Pinus jeffreyi hybrid, oleoresin composition 221
Pinus monticola and P. ponderosa, moisture retention in leaves 210
Pisum; *see* Pea
Planck, R. W., Distribution of waxes in guayule 231

Powers, LeRoy, Gene analysis by the partitioning method when interactions of genes are involved 1
Pressing method which preserves natural colors 484
Prosopis; *see* Mesquite
Prunus cerasus; *see* Cherry
Pseudomonas aeruginosa, used to assay antimicrobial activity of chlorophyllose plants 293
Pseudotsuga taxifolia, moisture retention in leaves 210

R

Rabideau, Glenn S., Free and acid-hydrolyzable amino acids in four range grasses 475
Radioactive compounds, 2,4-dichloro-5-iodophenoxyacetic acid, translocation in mesquite 368; nicotine, biosynthesis 195
Radioactivity, effects of $C^{14}O_2$ on tobacco plants 195
Radiation, X-, of pea roots, and effect of indoleacetic acid on growth 285
Ready, D., New growth-regulating compounds. II. Substituted benzoic acids 135
Respiration, in tomato crown-gall tissues 185, 190; in tomato auxin-induced tumors 190; of flax affected by boron 180; relation to ethylene production 55
Roots, adventitious, development in Vaccinium 279; anatomy of Theobroma cacao 444; fasciation in 2,4-D-treated corn 65; growth, in cabbage, affected by growth-regulators 334, of X-irradiated peas, affected by indoleacetic acid 285
Rumex asetosa, virus tumor tissue from roots used for secretion of alpha-amylase 482

S

Schroeder, C. A., Floral development, sporogenesis, and embryology in the avocado, Persea americana 270
Seeds, activated, in study of winter-hardiness 90; from Pennsylvanian coal balls 165
Sequoia jeholensis Endô, n. sp., from Jurassic of Manchuria 228
Sheng, T. C., The genetic basis of woolly degeneration in Neurospora crassa 203
Shields, Lora Mangum, Distribution of the bitter principle in the shoot of Helenium tenuifolium 471
Sinclair, Walton B., Alcohol-insoluble solids of juice vesicles and pulp of citrus fruit 106
Singh, H. B., Taxonomic relationships and breeding possibilities of species of Abelmoschus related to okra (A. esculentus) 455
Smith, Ora, Effect of applications of growth substances on sprouting of carrots, turnips, and onions in storage 362
Soil moisture, relation to cleistogamy in Stipa leucotricha 438
Sorghastrum nutans, amino acids 475
Soybean, effect of 2,4-D on nitrogen metabolism and water relations 322
Spectrum, action, for inhibition of stem growth in barley 95
Sporogenesis, in Clethra 392; in Persea 270
Squash, Acorn, test plant for activity of substituted benzoic acids 135
Staphylococcus aureus, used to assay antimicrobial activity of chlorophyllose plants 293
Stipa leucotricha, cleistogamy and soil moisture 438
Storage, of carrots, turnips, and onions, sprouting affected by growth substances 362
Swarup, Vishnu, Taxonomic relationships and breeding possibilities of species of Abelmoschus related to okra (A. esculentus) 455

T

Taxospermum undulatum, new species 165
Taylor, Katharine N., Studies on the relation between molecular structure and physiological activity of plant growth-regulators. I. Abscission-inducing activity 348
Temperature, effect, of freezing on activation of oat seeds 90, on formative response of bean seedlings to 2,4-D 479
Tenulin in Helenium 471
Tetrazolium test for viability applied to conifer leaves 210
Theobroma cacao, vegetative anatomy 444
Thompson, H. E., New growth-regulating compounds. II. Substituted benzoic acids 135
Thuja plicata, moisture retention in leaves 210
Tiller development and reproductive activity in Bromus 413
Tobacco, biosynthesis of radioactive nicotine 195
Tomato, auxin-induced tumors, terminal oxidase patterns 190; crown-gall tumors, oxygen uptake 185, and terminal oxidase patterns 190; gene analysis by partitioning method 1; pectolytic enzyme activity 216
Trichomes, bearing tenulin in Helenium 471
Tumors, auxin-induced in tomato, terminal oxidase patterns 190; induced by 2,4-D 65, by substituted benzoic acids 135; on cabbage-seedling roots induced by para-chlorophenoxyacetic acid 334; tomato crown-gall, oxygen uptake 185, terminal oxidase patterns 190
Turnips, sprouting in storage affected by growth substances 362

V

Vaccinium, anatomy of adventitious root development 279
Virus tumor tissue, action of secreted alpha-amylase not affected by growth-regulators 482
Vitis vinifera, affected by growth-regulators 75

W

Wadleigh, C. H., The chemical status of bean plants afflicted with bicarbonate-induced chlorosis 373
Walker, Albert C., Glutamic acid in sugar beets increased by zinc dimethyldithiocarbamate 207
Water retention, in leaves of Rocky Mountain conifers 210
Watson, Donald P., An anatomical study of adventitious root development in stems of Vaccinium corymbosum 279
Wax, distribution in guayule 231
Weaver, Robert J., Response of certain varieties of grapes to plant growth-regulators 75

Weintraub, Robert L., Influence of temperature on formative response of bean seedlings to 2,4-dichlorophenoxyacetic acid 479; Studies on the relation between molecular structure and physiological activity of plant growth-regulators. I. Abscission-inducing activity 348
Williams, W. O., Response of certain varieties of grapes to plant growth-regulators 75

X

X-irradiation, of pea roots, and effect of indoleacetic acid on growth 285

Z

Zea, morphological and anatomical effects of 2,4-D 65
Zerlate; *see* Dimethyldithiocarbamate
Zielinski, Q. B., Effect of 2,4-dichlorophenoxyacetic acid and naphthalene acetic acid on increasing fruit-setting and delaying maturity of Montmorency cherries 147
Zinc dimethyldithiocarbamate, effect on glutamic acid in sugar beets 207
Zinc, effect on germination of flax 180
Zobel, Bruce, Oleoresin composition as a determinant of pine hybridity 221